

Arena STYLE kitchen interior fittings


Hettich
INTERNATIONAL

Contents



Arena – shelves in the design line STYLE

Pages 4 - 5



Interior fittings for pantry units

Pages 6 - 13



Interior fittings for corner base units

Pages 14 - 16



Interior fittings for base units

Pages 17 - 18

Arena – shelves in the design line STYLE


Arena STYLE, highlights the horizontal lines

Flat gallery formed by two horizontal steel strips, supported by flat vertical bars.

The wider gallery appears more striking, visually dominant and emphasizes the high value of the kitchen's interior equipment.

- Reduced design is both elegant and forceful for both round and angular cabinet forms
- Harmonizes with modern, frequently handle-less kitchen designs
- For linear modern kitchens

Maximum utilization
of the base area



Timber shelf
with integrated rail

Long life,
easy and convenient
to clean

High-quality gallery surface
of chrome-plated steel

Timber base,
white melamine coated,
with special anti-slip coating

Elegant, modern design







Arena anti-slip shelves

- Special anti-slip coating prevents the contents slipping
- Nothing can slip when opening and closing large or small pull-out elements or when turning carousel shelves



Range summary/Technical comparison

Interior fittings for pantry units

	Dispensa Swing 	Dispensa 
Page number	8	9 - 11
		
Brief description	Swiveling pantry unit	Pantry unit with access from both sides
Pull-out	Over-extension	Full-extension
Load capacity	70 kg	100 kg
For cabinet widths	300 and 400 mm	300 and 400 mm
Frame colour	 brilliant white	 brilliant white
Clip-on shelves	Arena STYLE	Arena STYLE

Dispensa Duo

12 - 13



Page number



Door and pull-out shelf
can be used with single and double doors

Brief description

Swing-out mechanism

Pull-out

70 kg

Load capacity

450, 500 and 600 mm

For cabinet widths



Frame colour

brilliant white

Arena STYLE

Clip-on shelves



- Swiveling pantry unit
- Perfect closing thanks to integrated Silent System dampened closure
- When pulled out completely, the entire center upright can be turned 90° to the left or right
- The pull-out system is then located at right angles to the cupboard
- Cupboard contents are within clear view and easy reach




Centre upright

- 200 mm height adjustable with front brackets/rails
- For use with cabinet widths 300 and 400 mm
- Minimum internal cabinet depth 500 mm
- Over-extension needs to be ordered separately, see below
- Brilliant white

Set contains:

- 1 height adjustable center upright
- 2 height adjustable front rails
- 2 front brackets



Minimum inside cabinet width mm	Inside cabinet height mm	Centre upright height mm	Number of baskets	Order no.	PU
262	1800 - 2000	1673 - 1873	5 - 6	9 079 982	1 set
262	2000 - 2200	1873 - 2073	6	9 079 983	1 set
362	1800 - 2000	1673 - 1873	5 - 6	9 080 008	1 set
362	2000 - 2200	1873 - 2073	6	9 080 012	1 set



Over-extension

- With integrated dampened closure Silent System
- Load-bearing capacity 70 kg
- With integrated pull-out and swivel mechanism
- Plastic-coated steel, brilliant white

Order no.	PU
9 079 808	1

Arena anti-slip clip-on shelves, clip-on baskets and other accessories see pages 10 - 11



- Pantry pull-out with integrated dampened closure Silent System
- Compact, clearly arranged and easy to reach
- Contents can be accessed from both sides
- Full-extension slide
- Front can be adjusted in 3 directions




Height adjustable center upright with front brackets/rails

- Complete with dampened closure Silent System
- 400 mm height adjustable
- For use with cabinet widths 300 and 400 mm
- Minimum inside cabinet depth 500 mm
- Brilliant white

Set contains:

- 1 height adjustable center upright
- 2 height adjustable front brackets
- 2 front rails



Minimum inside cabinet width mm	Inside cabinet height mm	Centre upright height mm	Number of baskets	Order no.	PU
262	1600 - 2000	1545 - 1945	5 - 6	9 080 039	1 set
262	1900 - 2300	1845 - 2245	6	9 080 044	1 set
362	1600 - 2000	1545 - 1945	5 - 6	9 080 052	1 set
362	1900 - 2300	1845 - 2245	6	9 080 054	1 set




Full-extension slide with low overall height

- Complete with dampened closure Silent System
- For Dispensa centre-running upright
- Load capacity 100 kg
- Travel 470 mm
- Plastic-coated steel, brilliant white

Order no.	PU
9 079 794	1

Arena non-slip clip-on shelves, clip-on baskets and other accessories see pages 10 - 11



Arena STYLE anti-slip clip-on shelves

- For clipping onto centre upright
- Timber base, white melamine coated, with special anti-slip coating
- Chrome-plated steel railing

For cabinet width mm	Width x depth x height mm	Order no.	PU
300	250 x 462 x 110	9 080 084	1
400	350 x 462 x 110	9 080 089	1



Bracket

- Required when using filler-fronts
- For optional use
- Plastic-coated steel, brilliant white

For cabinet width mm	Order no. brilliant white	PU
300	9 080 055	1
400	9 080 059	1



Bracket

- For use in any position
- For optional use
- Plastic-coated steel, brilliant white


Order no.	PU
9 080 064	1



Basket support for height-adjustable centre upright

- Optimum use of the space available in the adjusting range of the center upright
- Height 125 mm
- Plastic-coated steel, brilliant white

Order no.	PU
9 080 073	1





- For a tidy, well organised pantry
- Interior equipment systems can be individually organized
- Two sets can be clipped onto each level of the center upright
- Can be retrofitted at any time
- Dispensa storage system, the alternative to Arena clip-on shelves or baskets
- For clipping into the Dispensa centre upright

Storage container set

- For clipping into the Dispensa centre upright

Set contains:

- 1 aluminium supporting element
plastic coated silver
- 4 1,2 litre storage containers, clear plastic,
with lid, grey plastic

Order no.	PU
0 041 171	1 set



Storage box set


- For clipping into the Dispensa centre upright

Set contains:

- 1 aluminium supporting element
plastic coated silver
- 2 open storage boxes, clear plastic
- 1 slot-in partition, transparent plastic

Order no.	PU
0 041 172	1 set

Assembly





- Perfect swivel and pull-out technology for pantry units
- Door and pull-out shelf ensure full use of the space available
- Creates enormous storage space and well arranged storage
- Direct access to everything in the cupboard
- Can also be used for 2-door pantry units (900, 1000 and 1200 mm) without centre support



Pull-out frame

- Complete with top and bottom guide and pull-out mechanism
- Complete with dampened closure Silent System
- For use in left and right-hand cabinet
- Cabinet width 450, 500 and 600 mm
- Load capacity 50 kg
- Minimum inside cabinet depth 500 mm
- Plastic-coated steel, brilliant white

Set contains:

Complete fitting and pull-out frame

Minimum inside cabinet width mm	Minimum inside cabinet height mm	Number of baskets	Order no.	PU
412 - 418	1100	4	9 080 078	1 set
412 - 418	1700	6	9 080 080	1 set
462 - 468	1100	4	9 080 101	1 set
462 - 468	1700	6	9 080 106	1 set
562 - 568	1100	4	9 080 120	1 set
562 - 568	1700	6	9 080 122	1 set

Matching door shelves and Arena anti-slip clip-on shelves, see page 13



Arena STYLE door shelf unit


- For use in left and right-hand door
- Cabinet width 450, 500 and 600 mm
- Load capacity 20 kg
- Steel

Set contains:

Door shelf unit
Fixing accessories



Minimum inside cabinet width mm	Minimum inside cabinet height mm	Order no.	PU
412 - 418	1100 4-tier	9 079 861	1 set
412 - 418	1700 6-tier	9 079 864	1 set
462 - 468	1100 4-tier	9 079 865	1 set
462 - 468	1700 6-tier	9 079 868	1 set
562 - 568	1100 4-tier	9 079 890	1 set
562 - 568	1700 6-tier	9 079 892	1 set



Arena STYLE anti-slip clip-on shelves


- For clipping onto the pull-out frame
- Timber base, white melamine coated, with special anti-slip coating
- Chrome-plated steel railing

Inside cabinet width mm	Width x depth x height mm	Order no.	PU
412 - 418	383 x 275 x 75	9 080 150	1
462 - 468	433 x 275 x 75	9 080 152	1
562 - 568	518 x 275 x 75	9 080 154	1

Interior fittings for corner base units

Corner unit pull-out

LeMans



- For complete and unrestricted access to the corner cabinet
- When the cupboard door is opened, the shelves are turned to the front independently of one another and then swivelled out of the cabinet completely.
- Suitable for 900 and 1000 mm wide corner cabinets
- Minimum internal cabinet depth 500 mm
- Internal cabinet height 600 - 750 mm for base units or 1265 mm for highboards
- Load capacity 20 kg/shelf
- Arena shelves, melamine coated white wooden shelves with anti-slip special coating
- Steel railing
- Pivot arm needs to be ordered separately, see below

Set contains:

- 2 swivel mechanisms
- 2 Arena STYLE non-slip shelves
- Drilling gauges

Note: Two sets are needed for the LeMans highboard!



Front width mm	For minimum internal cabinet width mm	Order no.		PU
		left	right	
450	862	9 079 997	9 079 999	1 set
500	962	9 080 001	9 080 002	1 set
600	962	9 080 003	9 080 005	1 set



- Pivot arm for LeMans corner cabinet swivelling pull-out
- A pivot arm with a height of 1265 mm needs to be ordered for the LeMans highboard
- Chrome-plated steel

Set contains:

- 1 centre column
- Accessories



	Number of shelves	Height mm	Order no.	PU
①	2	600 - 750	9 079 986	1 set
②	4	1265	9 079 987	1 set



Interior fittings for corner base units

Corner unit pull-out system

Moving Corner



Moving Corner

- Integrated dampened closure Silent System
- Optimum utilisation of space giving full access to provisions stored in the corner unit
- Suitable for 900 and 1000 mm corner unit widths using the simple click-in adjustment facility function for the extension fitting
- Minimum internal cabinet depth 500 mm
- With full-extension mounted in ball bearings
- Matching clip-on shelves, see below
- Plastic-coated steel, brilliant white

Set contains:

Complete fitting including dampened closure Silent System

Min. internal cabinet height mm	Left-hand version	Right-hand version	PU
540	9 080 006	9 080 007	1 set



Arena STYLE anti-slip clip-on shelves



- Timber base, white melamine coated, with special anti-slip coating
- Chrome-plated steel railing

Set contains:

4 Arena STYLE clip-on shelves

Width x depth x height mm	Number of clip-on shelves	Load capacity per shelf kg	Order nr.	PU
295 x 470 x 75	2	7	9 080 011	1 set
390 x 470 x 75	2	9		

Functional principle (Illustration shows a right-hand version):



Interior fittings for corner base units

Folding door corner unit revolving fitting

Revo 90°



- Basic fitting for cabinet dimensions 900 x 900 mm
- With integrated dampened closure Silent System
- For inside heights of 660 - 860 mm
- Complete with mounting cross – an additional top panel is not required
- Retrofitting a third revolving shelf – also in the fully assembled and fitted cupboard
- Variable telescoping tube
- Door assembly without the aid of tools
- Adjustment of the closing speed without the aid of tools
- 3-dimensional adjustment
- Support for third carousel tray, see below
- Silver plastic-coated steel



Set contains:

- 1 mounting cross
- 1 centre column with folding door mechanism
- 2 revolving shelf support
- 2 distance pieces 3 mm

Order no.	PU
9 080 040	1 set



Arena STYLE anti-slip pull-out shelf

- Timber base, white melamine coated, with special anti-slip coating
- Chrome-plated steel railing

Order no.	PU
9 080 043	1/2




Support for third carousel tray

- Plastic

Order no.	PU
9 079 831	1



Interior fittings for base units Front pull-out 90° with full-extension slides and Silent System



Pull-out frame

- Dampened closure Silent System mechanism invisibly integrated into the extension
- With ball bearing slide
- Attached to the cabinet side
- Left and right-hand version
- Load capacity 24 kg
- Plastic-coated steel, brilliant white

Pull-out frame height mm	For minimum internal cabinet height mm	Version		PU
		left	right	
661	663	9 079 682	9 080 172	1

Please note: Interior cabinet depth/width depend on the front bracket used

See page 18 for matching front brackets and hook-in shelves

Interior fittings for base units

Front pull-out 90°


with full-extension slides and Silent System



Required front brackets

- For a stable connection and 3-dimensional adjustment of the front on the pull-out frame
- Each set comprises two front brackets
- Plastic-coated steel, brilliant white

Order no.	PU
9 079 714	1 set






Arena STYLE anti-slip hook-in shelves 90°

- For clipping onto the pull-out frame
- Wood base, white melamine coated, with special anti-slip coating
- Chrome-plated steel railing

Width x depth x height mm	Order no.	PU
110 x 470 x 75	9 080 157	1
160 x 470 x 75	9 079 755	1
228 x 470 x 75	9 079 803	1
295 x 470 x 75	9 079 804	1

Assembly





technik für möbel **made by hettich**

Hettich Australia

1 Herbert Place
Smithfield 2164, Sydney

Phone: (02) 96 16 77 00
Free Phone: 1800 68 77 89
Fax: (02) 96 16 77 78
Free Fax: 1800 15 01 29
e-mail: info@hettich.com.au

www.hettich.com.au

Hettich New Zealand

18 Barmac Place
East Tamaki, Auckland

Phone: (64) 92 74 40 36
Free Phone: 0800 4 38 84 24
Fax: (64) 92 74 81 77
Free Fax: 0800 73 78 47
e-mail: sales@hettich.co.nz

www.hettich.co.nz